EXPANDING TELEAUDIOLOGY IN RURAL ALASKA: AN EHDI PILOT PROGRAM

Annette Callies

Women's Children's and Family Health
Department of Health and Social Services
Anchorage, AK

Samantha Kleindienst Robler, AuD, PhD

Norton Sound Health Corporation Nome, AK

18th Annual EHDI Meeting, Chicago, IL March 3, 2019



Annette Callies
No conflicts of interest



Samantha Kleindienst Robler No conflicts of interest

CONFLICT OF INTEREST

AUDIENCE

- Name
- Location
- Specialty
- Goal for attending session



OVERVIEW

- ☐ State of Alaska
- ☐ Development of solutions to address needs in Alaska (telemedicine/CHAP)
- ☐ Alaska EDHI program
- ☐ Alaska EHDI Pilot Project
- ☐ Norton Sound Health Corporation (NSHC)
- ☐ NSHC Audiology Services/models of care
- ☐ Pilot Project Equipment Selection and implementation
- ☐ Tips and Take Aways
- ☐ Demonstration








PILOT PROJECT EQUIPMENT DECISIONS








DEMONSTRATION












IMAGE FROM: COAST GUARD COMPASS OFFICIAL BLOG OF THE U.S. COAST GUARD

"The difference between rural Alaska and "any other rural area" is that in other states, people can drive to the nearest large town to obtain services. Commuting is generally not an option for the people of rural Alaska; there are fewer miles of road in Alaska than in any other state."


Quote from

https://www.commerce.alaska.gov/web/Portals/4/pub/RiskMAP/2018_Alaska_Mapping Business Plan Appendix FINAL.pdf

Image taken from:

http://www.travelalaska.com/getting%20around/travel%20within%20alaska/by%20car%20rv%20motorhome.aspx





COMMUNITY SIZE



Over half (55%) of municipalities are extremely small with populations less than 500 residents



13% are less than 100 residents



Only six municipalities (4%) contain 30,000 residents or more including the:

Juneau, Fairbanks, Kenai Peninsula, Mat-Su, and Anchorage

AIR TRAVEL TO REMOTE SITES IN ALASKA

Alaska Statute 02.35.110 Emergency Rations &


Equipment requires that an airman may not make a flight inside the state with an aircraft unless emergency equipment is carried as follows:




The minimum equipment during the summers months is: food for each occupant for one week; one axe or hatchet; one first aid kit; an assortment of fishing tackle such as hooks, flies, and sinkers; one knife; fire starter; one mosquito headnet for each occupant; and two signaling devices such as colored smoke bombs, pistol shells, etc. sealed in metal containers.



In addition to the above, the following must be carried as minimum equipment from October 15 to April 1 of each year: one pair of snowshoes; one sleeping bag; one wool blanket for each occupant over four.



HISTORY OF TELEHEALTH IN ALASKA



Radiotelegraphy

Community Health Aide/Practitioner

DEVELOPMENT OF AFHCAN

- Alaska Federal Health Care Partnership (AFHCP)
 - VA, DoD, Coast Guard, IHS, ANTHC
- Connects 248 sites (44 organizations)
- Dermatology, Dentistry, Cardiology, Otolaryngology, Audiology, Primary Care, Optometry

ALASKA'S FEDERAL HEALTH CARE ACCESS NETWORK (AFHCAN)



AFHCAN, is a program of the Alaska Native Tribal Health Consortium (ANTHC)



Provide information technology consultation, training and support



AFHCAN

http://afhcan.org/about.aspx

AFHCAN CART

- Equipment
 - Video otoscope
 - Tympanometer/audiometer/OAE
 - Dental Camera
 - Vitals/EKG
 - Digital Camera
 - Scanner
 - Camera and speaker
 - Stethoscope



What do you want to do today?

Create a New Case

Click here if you want to create a new case.

My Settings

Cases To Review

Click here to view cases on your plate (cases on hold, your cases, your group cases.)


All Open Cases

Cases You Sent

Click here to view cases you have sent that are still open (not yet archived.)

Search Archives

Click here to search the archived cases.



Case #: MedNorth-AF-27 User: Williams, Hancy

SPEC

Site: MedNorth

AFHCAN Clert 5.0 MedStorth Working On-Line 0 Cases in Transit About

Log Out

Thumbreils

Tympanometry

TO START ... Press a button on the Earscan.

Please do a calibration first.

Earscan

Advantable Improductive

Wife Anadolomative

College College

CAL

CAL

CAL

CAL


Start "Calibration" Tympanogram


← Start "Fast" Tympanogram


Recommended for young children

Save

Back









COMMUNITY HEALTH AIDE PROGRAM

- The Community Health Aide Program (CHAP) consists of a network of approximately 550 Community Health Aides/Practitioners (CHA/Ps) in over 170 rural Alaska villages. CHA/Ps work within the guidelines of the Alaska Community Health Aide/Practitioner Manual in assessing and referring members of their communities who seek medical care and consultation. Alaska CHA/Ps are the frontline of healthcare in their communities.
- Three training centers:
 - Anchorage, Norton Sound, Yukon-Kuskokwim


Locations of Newborn Hearing Screening Hospitals



PEDIATRIC AUDIOLOGICAL AVAILABILITY IN COMMUNITIES WITH BIRTHING FACILITIES, 2017




DIAGNOSED, REPORTED, HEARING LOSS IN CHILDREN STATEWIDE BY PLACE OF RESIDENCE BY TRIBAL HEALTH REGION, 2013-2015



Aleutians and Pribilofs	0%
Kodiak Area	0%
Northwest Arctic	0%
Valdez Cordova	0%
Arctic Slope	2%
Norton Sound	2%
Kenai Peninsula	3%
Bristol Bay	7%
Southeast	7%
Interior	10%
Yukon-Kuskokwim	11%
Anchorage/Mat-Su	59%
	Kodiak Area Northwest Arctic Valdez Cordova Arctic Slope Norton Sound Kenai Peninsula Bristol Bay Southeast Interior Yukon-Kuskokwim

AUDIOLOGY DIAGNOSTIC AUDITORY BRAINSTEM RESPONSE (ABR) AVAILABILITY 2017



TRANSPORTATION TO PEDIATRIC AUDIOLOGY DIAGNOSTIC CENTER











GOAL: INCREASE PERCENTAGE OF CHILDREN DIAGNOSED BEFORE THREE MONTHS OF AGE

									Includes cases of normal hearing and hearing loss			
Birth year	total births	Total Screened	Total Not Pass	No Hearing Loss	No Hearing Loss Diagnosed Before 3 Months of Age	Hearing Loss	Hearing Loss Diagnosed Before 3 Months of Age	Prevalence per 1,000 Screened	Total Diagnosed	Total Diagnosed Before 3 Months of Age	Diagnosed Before 3 Months of Age among the Diagnosed	Diagnosed Before 3 Months of Age among those Not Passing the Screen
2013	11,278	10,969	148	36	20	20	16	1.8	56	36	64.3%	37.8%
2014	11,256	10,860	126	51	42	19	10	1.7	70	52	74.3%	41.3%
2015	11,175	10,771	142	70	47	19	12	1.8	89	59	66.3%	41.5%
2016	11,110	10,699	135	61	35	19	15	1.8	80	50	62.5%	37%



Program Evaluation



Learning Community



Quality improvement work group

INITIATIVES



- Increase awareness that "children who are deaf or hard of hearing face a potential developmental emergency and should be identified as quickly as possible so that appropriate intervention services can be started." (AAP)
- Require that parents receive full information about JCIH recommendations
- Provide families of children at risk or newly diagnosed with parent support
- Family support services Family Navigators contact families of children who refer on their final screen for families who do not receive follow up within 90 days of not passing the newborn hearing screening. (based on a clinical trial conducted at the University of Kentucky)

American Academy of Pediatrics (AAP) Early Hearing Detection and Intervention (EHDI) Program https://www.aap.org/en-us/advocacy-and-policy/aap-health-initiatives/PEHDIC/Pages/Early-Hearing-Detection-and-Intervention.aspx

EHDI PROGRAM EVALUATION



The first barrier to timely diagnosis was identified as incomplete or late data entry by audiologists.



Program conducted outreach to all audiologists in the state



Statewide audiology training developed



Quick reference guide for reporting electronically developed for Alaska



- Identify barriers by contracting with Alaska's University Center of Excellence (USED), the UAA Center for Human Development (CHD) to survey families with infants who are referred and awaiting a diagnostic assessment as well as infants diagnosed with hearing loss who have not enrolled in El. All family surveys will be conducted by researchers who are parents of children who are deaf or hard of hearing.
- Teleaudiology pilot project to reach families reluctant to travel

AK EHDI PILOT PROJECT


Telemedicine use active in Alaska's native health care System

Consulted partners in native health care system



- 2016 EDHI program received \$44,900 supplementary funding from HRSA for teleaudiology
- The funding was directed to expanding the existing tele-audiology practice in Alaska

GOALS FOR PILOT PROGRAM



PLANNING



Is there a clear demand for services?



Realistic appraisal of costs to implement and maintain the system.



Plans to sustain equipment after start-up funding is expended.



Mission, Vision & Values of the partner agency should guide the plan development.

SITE CHOSEN

- Norton Sound Health Corporation (NSHC) was chosen based on history of successful telehealth practice and infrastructure in place:
 - Motivated leaders
 - Provider buy-in, support, and motivation
 - Training support
 - IT buy-in and support
 - Agency history of commitment to trying novel approaches to address access to care and staff shortage and turnover



NSHC MISSION, VISION & VALUES

- We will ensure that all patients receive quality and respectful health care.
- We will educate our patients and communities to be proactive in caring for themselves and promoting wellness.
- We will listen to, honor, and respect our elders, preserve their right to speak,
 and ensure they receive the best care in gratitude for their leadership.
- We will develop state of the art and efficient health care facilities throughout the region.
- We will be financially strong through aggressive, effective and efficient financial management





Use of innovative telemedicine solutions



Resource availability




Access to audiology and otolaryngology specialties

NORTON SOUND HEALTH CORPORATION

Bering Strait Region in Northwest Alaska









AUDIOLOGICAL SERVICES

- Diagnostics
 - Sound booth (Nome, Unalakleet)
 - Electrophysiological testing
 - Immittance testing
 - Vestibular testing
- Rehabilitation
 - Full digital selection
 - CI/Baha
 - ALDs
 - Verification/Validation

OTITIS MEDIA IN AI/AN POPULATION


Higher rates of OM compared to non-native population

NSHC (88.7% AN)

3x higher in children < lyr
1.5x higher 1-4yr (Curns et al., 2002)

OM is one of the top 5 diagnoses for nearly all communities

OTITIS MEDIA IN THE AK NATIVE POPULATION



TELEHEALTH SERVICES




Telehealth Methods: Store and forward, real time (video/remote desktop), hybrid, mobile



Video otoscopy, tympanometry, acoustic reflexes, OAEs, surgical/medical management, hearing aid fitting and programming, troubleshooting, counseling, aural rehabilitation, newborn hearing screening




Not yet tackled: Balance assessment, CI mapping, electrophysiologic testing



NSHC Audiology Workflow for use of telemedicine in audiology and otolaryngology specialty care to increase access and timeliness of care, while reducing travel



WORKFLOW



OUTCOMES

0

Reduced wait-time

- Ferguson et al. (2008)
- Hofstetter, Kokesh, Ferguson, Hood (2010)

02

Improved Cost effectiveness, reduced travel

 Kokesh, Ferguson, Patricoski, LeMaster (2009) 03

Reduced burden on family and healthcare system

COLLABORATION

Audiology/ENT
Audiology/Primary Care
Emergency Dept/Specialty Care
Case Management
Ancillary Dept Care Management
Audiology/PT
Audiology/SLP



CASES EXAMPLES

- Cholesteatoma
- Sudden sensorineural hearing loss
- Brain Tumor/Throat Cancer
- Tube/tympanoplasty/mastoidect omy follow-up
- NBHS



TELEMEDICINE USES

NSHC or ANMC diagnostic centers perform NBHS at birth Children
whose
screenings do
not pass are
encouraged to
fly to
diagnostic
center for
follow up

If a family cannot travel or is unwilling to travel, then telemedicine is used to complete NBHS follow-up

NSHC may
use
telemedicine
for follow up
screens;
audiologist
can
communicate
directly with
parent during
live sessions

Children
identified with
risk factors
followed
more
regularly
through
telemedicine

ENT consultation and medical clearance done through telemedicine

Follow-up rehabilitative care possible with telemedicine

PILOT PROJECT EQUIPMENT DECISIONS

- The AFHCAN CART contains diverse technology with a small footprint that is portable in the regional health clinic location
- The chosen manufacturer had to be willing to share programming code with AFHCAN IT so the system could be fully integrated in to Cart
- Features: Fully diagnostic, included robust tympanometry and objective hearing assessment
- For the program to be sustainable and reproducible in other regions the equipment costs must be supported by clinics that serve between 200-800 residents.



EQUIPMENT IMPLEMENTATION

- Build into the AFHCAN cart
- Set-up and configured for use
- Installation of hardware
- Preparation of supplies
- Training of staff and instructions on use

Norton Sound Health Corporation

COMMUNITY POPULATIONS

Location determined by:

- ✓ Need
- ✓ Population size
- ✓ Geographic location
- ✓ Staff resources
- ✓ Successful telemedicine use

COMMUNITY	POPULATION
Nome (regional hub) 🜟	3598
Brevig Mission 🜟	388
Elim 🜟	330
Gambell 🜟	681
Golovin	156
Koyuk	330
Little Diomede	115
Savoonga 🜟	671
Shaktoolik 🜟	260
Shishmaref 🜟	582
Saint Michael	401
Stebbins 🜟	556
Teller	229
Unalakleet (Sub Regional)	688
Wales	145
White Mountain	190
	110.0

US Census 2010

Village Clinics in the Bering Strait Region Norton Sound Health Corporation (NSHC) is a nonprofit consortium SHISHMAREF owned by twenty Tribes in the 44,000 square-mile Bering Strait Region of Northwest Alaska, which is home to approximately 9,500 residents; Siberia 74.6 percent are Alaska Native. NSHC operates the Norton Sound Regional Hospital in Nome, as well as clinics in the region's fifteen Native villages, which range in size from 150 to 900 residents. Each Village Clinic is staffed by local residents DIOMEDE trained as Community Health Aides. In addition, NSHC stations a Physician Assistant or Nurse Practitioner in larger villages and Dental WALES Health Aides are located in Savoonga, Shishmaref, Stebbins and Unalakleet. Although NSHC operates its own medevac service and **BREVIG MISSION** telemedicine is available, the vast geographic distances within the service area can present challenges during inclement weather. TELLER Bering Strait KOYUK **ELIM** WHITE MOUNTAIN **GOLOVIN** NOME SHAKTOOLIK UNALAKLEET GAMBELL Norton Sound SAVOONGA STEBBINS ST. MICHAEL (xxx) Air Miles to Nome



- Newborn male
- Born at 36 weeks, no complications with pregnancy/birth
- No family history of hearing loss but 3 older siblings with h/o recurrent ear infections and tubes
- Referred NBHS (AABR) left ear, passed right ear
- 5 weeks- completed VTC appt (otoscopy, tympanometry, OAEs, counseling)
 - Referred DPOAE screening (4 freq) left, passed right
- 7 weeks- completed AABR (In Nome)
 - Referred left, concern for possible effusion (type C tympanogram)
 - Consult with ENT via telemedicine resulted in recommendation for course of amoxicillin
- 8 weeks- completed diagnostic ABR (in Nome)
 - No sign of acute infection but tymps shallow with slight negative pressure
 - ABR normal Wave V right on click @ 20 dB nHL ,ABR NR left @ 90 dB nHL
 - Consult with ENT via telemedicine resulted in scheduled for exam with binocular microscope, genetics, ophthalmology
 - In discussion for amplification

DREAM VS REALITY





Remote regions = shortage of audiologists and ENT

Balance best practice with clinical need and accessibility

TIPS AND TAKE AWAYS

TELEAUDIOLOGY PRACTICE LESSONS

- Staff for project should have a desire to become knowledgeable and skilled with the equipment chosen.
- Teleaudiology is still new and successful usage requires flexible thinking and commitment to work through challenges that arise.
- Troubleshooting and adapting to changing situations is a regular part of remote practice.
- Some professionals are extremely skilled and superb service providers; however, if they value predictability and routine they may not enjoy teleaudiology practice.



- In this system of care, the use of the tele-audiology device is only a small part of the remote staff's regular duties. The remote staff may be looking to provider for direction, encouragement and coaching with the system
- When the clinic audiology staff travel to remote sites they provide refresher training to brush up skills
- If an in-person visit to remote site is infrequent make time to communicate one-on-one with the clinic staff outside of the patient visit to consult on what they need to feel proficient and confident with the process

TRAINING



Consider having a team member(s) become a subject matter expert/Super User



Learn enough yourself to troubleshoot simple issues



Ask IT for a checklist of most common issues or develop a list in house



Frequent team communication



Consider including both informal communication channels and regular check-ins



Share what you learned the hard way with the team - both successes and challenges

INFRASTRUCTURE







EQUIPMENT

SUPPORT

PERSONNEL/RELATIONSHIPS

BENEFITS AND CHALLENGES



Benefits

Earlier identification

Patient-Centered

Access to early Audiology/ENT consult through telemedicine process without travel




Challenges

Infrastructure

- Start-up costs
- Training- initial, continuing, and new staff
- Maintenance services and costs

Personnel

Best Practice



- NSHC has plans to expand the PATH equipment upgrades to additional health clinic locations and NSHC HAT program
- Move toward AABR via telemedicine
- The Tribal health care system will evaluate the need and resources to expand to other regions
- Private pediatric audiology practices in the state have indicated they currently do not have plans to expand their practice to include teleaudiology



DEMONSTRATION

REFERENCES

- Alaska Mapping Business Plan. (2018, September). Retrieved January 10, 2019, from
 https://www.commerce.alaska.gov/web/Portals/4/pub/RiskMAP/2018_Alaska_Mapping_Business_Plan_Appendix_FINAL.pdfState of Alaska /
 Commerce / Community & Regional Affairs
- Alaska Department of Transportation and Public Facilities Division of Statewide Aviation, from http://dot.alaska.gov/stwdav/index.shtml
- American Academy of Pediatrics (AAP) Early Hearing Detection and Intervention (EHDI) https://www.aap.org/en-us/advocacy-and-policy/aap-health-initiatives/PEHDIC/Pages/Early-Hearing-Detection-and-Intervention.aspx
- Curns, A. T., Holman, R. C., Shay, D., K., Cheek, J. E., Raufman, S. F., Singleton, R. J., & Anderson, L. J. (2002). Outpatient and hospital visits associated with otitis media among American Indian and Alaska Native children younger than 5 years. *Pediatrics*, 109(3), 1-6. doi: 20.2542/peds.109.3.e41
- Ferguson, A. S., Kokesh, J., Patricoski, C., Hofstetter, P., & Hoge, N. (2008). Impact of store-and-forward telehealth in Alaska: A seven-year retrospective.
 Anchorage, AK: Alaska Native Tribal Health Consortium.
- Hofstetter, P. J., Kokesh, J. Ferguson, A. S., & Hood, L. J. (2010). Impact of telehealth on wait time for ENT specialty clinic. Telemedicine and e-Health, 16(5), 551-556. doi: 10.1089/tmj.2009.0142
- Kokesh, J., Ferguson, A. S., Patricoski, C., & LeMaster, B. (2009). Traveling an audiologist to provide otolaryngology care using store-and-forward telemedicine. Telemedicine and e-Health, 15(8), 758-763.