













# IDAHO SOUND BEGINNINGS EARLY HEARING DETECTION AND INTERVENTION



#### **Displaying Data Clearly to Stakeholders**

Brian Shakespeare, Idaho EHDI Coordinator



## KNOW YOUR AUDIENCE









### KNOW YOUR AUDIENCE












# TELL YOUR STORY





# TELL YOUR STORY





<sup>\*</sup> An example presbyacusis (sloping high-frequency hearing loss) synonymous with the ageing process.

### MAKE IT ACTIONABLE






### MAKE IT ACTIONABLE






### KEEP THE DESIGN SIMPLE





### KEEP THE DESIGN SIMPLE






# COLUMN CHART



#### 2015 Idaho Follow-up Rates




#### Region 3 Follow-up Rate



### BAR GRAPH




#### 2015 Loss to Follow-up Rates



### LINE GRAPH




#### 2015 – 2016 Region 3 Follow-up Rate



# DUAL AXIS CHART




#### 2015 LTF Rate vs Scheduled Appts.



### STACKED BAR CHART




Why parents do not obtain audiological follow-up when their child does not pass their newborn hearing screening.



### PIE CHARTS




#### 2015 Reasons For Not Attending Diagnostic Appts.



#### FUNNEL CHARTS



#### Idaho EHDI EI Enrollment Path




### NFOGRAPHICS






### DASHBOARDS






### KNOW YOUR AUDIENCE






### TELL YOUR STORY






### MAKE IT ACTIONABLE





### KEEP IT SIMPLE





# QUESTIONS???



